

/ THOS/BOA/

FICHA TÉCNICA

Tornillo hexagonal rosca entera zincado.

Referencia: 0005

+ Medida

+ Z

DIN 933

CLASE CLASSE 10.9





	М	M-6	M-8	M-10	M-12	M-14	M-16	M-18	M-20	M-22	M-24
-	~~~~	100	125	150	175	200	200	250	250	250	300
20	Price x 100 units	6,61	17,35	24,18	35,55	57,15	71,07		-	-	-
25		7,52	17,35	25,44	36,37	59,98	81,46	-	-		-
30		8,48	21,79	26,64	40,32	61,86	88,24	129,43	-	-	-
35		9,74	23,52	30,59	44,28	67,22	92,25	131,26	158,69		_
40		10,68	24,96	33,26	48,53	72,55	96,12	133,15	175,59	-	307,11
45		11,41	25,71	35,71	51,81	77,88	98,77	137,80	176,66	226,91	309,15
50		12,41	26,59	38,63	55,58	79,23	104,76	153,55	185,26	231,68	310,26
60			26,69	44,03	62,18	89,30	124,98	169,58	209,13	258,12	325,01
70		-	30,15	49,37	67,53	104,57	138,54	187,41	232,41	303,15	
80			36,24	54,87	84,94	126,74	153,49	207,08	254,72	338,27	369,26
90		-	-	66,86	93,23	135,02	167,37	242,83	275,09	370,13	421,76
100		_	-	74,26	101,78	146,64	172,92	276,35	297,36	418,42	454,05
	**										
≤ 35		100	50	50	25	25	25				
40 - 60		50	25	25	10	10	10	5	5	5	5
≥ 70		-	10	10	5	5	5	5	5	5	1